

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: KLIVNIK
 Merilno mesto: Brid
 Šifra merilnega mesta: 765

10.02.2011 13.04.2011 13.07.2011 06.10.2011

MERITVE NA TERENU

Temperatura zraka	0C	6	10	26	16
Temperatura vode	0C	3	7	10,3	14,2
pH	-	8,1	8,3	7,9	7,7
Električna prevodnost (25 0C)	µS/cm	285	195	199	205
Kisik sonda	mg O2/l	12,9	10,9	8,9	7,7
Nasičenost s kisikom - sonda	%	100	98	76	78

OSNOVNI PARAMETRI

Suspendirane snovi po sušenju	mg/l	2,8	2,9	<2	4,9
KPK s KMnO4	mg O2/l				
KPK s K2Cr2O7	mg O2/l	<5	7	<5	<5
BPK5	mg O2/l	1,7	1,5	1	1,1
TOC	mg C/l	1,5	2,1	1,9	2,4
Skupni dušik TN	mg N/l	1,12	1,62	0,92	0,72
Amoniak (prosti)	mg NH3/l	<0.003	<0.003	<0.003	<0.003
Amonij	mg NH4/l	0,18	0,051	0,1	0,18
Nitriti	mg NO2/l	0,02	0,02	0,033	0,056
Nitrati	mg NO3/l	2,7	6,2	4	3,1
Sulfati	mg/l	8,4	9,3	7,5	7,6
Kloridi	mg/l	3,4	3,4	3,6	3,5
Fluoridi	µg/l	<200	<200	<200	<200
Celotni fosfor - nefiltriran	mg PO4/l	0,07	0,049	0,049	0,101
Ortofosfati	mg PO4/l	0,031	<0.031	<0.031	<0.031
Kalcij	mg/l	48	32	30	34
Magnezij	mg/l	4,3	3,7	2,4	2,3
Natrij	mg/l	4,4	3,5	3,4	3,1
Kalij	mg/l	1,3	1,3	1,4	1,9
Mangan-filt.	µg/l	70	19	200	210
Železo - filt.	µg/l	<100	100	<100	<100
Formaldehid	µg/l				
Dušik-Kjeldahl	mg N/l	0,5	<0.5	<0.5	<0.5
Skupna trdota	ONT	7,7	5,3	4,8	5,3
Karbonatna trdota	ONT	7,5	4,4	4,7	4,7
m-Alkaliteta	m-equiv/l	2,7	1,6	1,7	1,7
Bor-filt.	µg/l	12	<10	<10	10

ONESNAŽENJA

Anionaktivni detergenti	µg MBAS/l
Cianidi (prosti)	µg/l
Mineralna olja	mg/l
Mineralna olja - sed.	mg/kg
PCB-28	µg/l
PCB-52	µg/l
PCB-101	µg/l
PCB-118	µg/l
PCB-138	µg/l
PCB-153	µg/l
PCB-180	µg/l
Dibutilftalat	µg/l
Di-(2-etilheksil)-ftalat (DEHP)	µg/l
Di(2-etilheksil)ftalat (DEHP)-sed.	µg/kg

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: KLIVNIK
 Merilno mesto: Brid
 Šifra merilnega mesta: 765

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Nonilfenoli	µg/l
Oktilfenoli	µg/l
C10-13 kloroalkani	µg/l
C10-C13 kloroalkani-sed.	µg/kg
Tributilkositrove spojine	µg TBT/l
Tributilkositrove spojine	µg Sn/l
Tributilkositrove spojine-sed.	µg TBT/kg
Dibutilkositrove spojine	µg DBT/l
Dibutilkositrove spojine	µg Sn/l
Dibutilkositrove spojine-sed.	µg DBT/kg
Bisfenol A	µg/l
2,4,6-TriBDE	µg/l
2,4',6-TriBDE	µg/l
2,2',4-TriBDE	µg/l
2,3',4-TriBDE	µg/l
2',3,4-TriBDE	µg/l
2,4,4'-TriBDE	µg/l
3,3',4-TriBDE	µg/l
3,4,4'-TriBDE	µg/l
2,4,4',6-TetraBDE	µg/l
2,2',4',5'-TetraBDE	µg/l
2,3',4',6-TetraBDE	µg/l
2,2',4,4'-TetraBDE	µg/l
2,3',4,4'-TetraBDE	µg/l
3,3',4,4'-TetraBDE	µg/l
2,2',4,4',6-PentaBDE	µg/l
2,3',4,4',6-PentaBDE	µg/l
2,2',4,4',5-PentaBDE	µg/l
2,3,4,5,6-PentaBDE	µg/l
2,3',4,4',5-PentaBDE	µg/l
2,2',3,4,4'-PentaBDE	µg/l
3,3',4,4',5-PentaBDE	µg/l
2,2',4,4',6,6'-HexaBDE	µg/l
2,2',4,4',5,6'-HexaBDE	µg/l
2,2',4,4',5,5'-HexaBDE	µg/l
2,2',3,4,4',5'-HexaBDE	µg/l
2,3,4,4',5,6-HexaBDE	µg/l
2,2',3,4,4',5',6-HeptaBDE	µg/l
2,2',3,4,4',5,6-HeptaBDE	µg/l
2,3,3',4,4',5,6-HeptaBDE	µg/l
2,4,4'-TriBDE-sed.	µg/kg
2,2',4,4'-TetraBDE-sed.	µg/kg
2,2',4,4',6-PentaBDE-sed.	µg/kg
2,2',4,4',5-PentaBDE-sed.	µg/kg
2,2',4,4',5,6'-HexaBDE-sed.	µg/kg
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg

MIKROELEMENTI

Aluminij-filt.	µg/l	51	130	66	13
Antimon-filt.	µg/l	<0.5	<0.5	<0.5	<0.5
Arzen-filt.	µg/l	<1	<1	<1	<1
Baker-filt.	µg/l	1,4	4,1	1	1,5
Baker-sed.	mg/kg				
Barij-filt.	µg/l	11	<10	11	11

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: KLIVNIK
 Merilno mesto: Brid
 Šifra merilnega mesta: 765

		10.02.2011	13.04.2011	13.07.2011	06.10.2011
Berilij-filt.	µg/l	<1	<1	<1	<1
Cink-filt.	µg/l	12	<10	<10	<10
Cink-sed.	mg/kg				
Kadmij-filt.	µg/l	0,015	<0.01	0,068	<0.01
Kadmij-sed.	mg/kg				
Kobalt-filt.	µg/l	0,14	0,089	0,18	0,14
Kositer-filt.	µg/l	<1	<1	<1	<1
Krom-filt.	µg/l	<1	<1	<1	<1
Krom-sed.	mg/kg				
Molibden-filt.	µg/l	<1	<1	<1	<1
Nikelj-filt.	µg/l	2,2	1,2	1,7	1,8
Nikelj-sed.	mg/kg				
Selen-filt.	µg/l	<1	<1	<1	<1
Srebro-filt.	µg/l	<1	<1	<1	<1
Svinec-filt.	µg/l	1,1	<1	1,5	<1
Svinec-sed.	mg/kg				
Vanadij-filt.	µg/l	<1	<1	<1	<1
Živo srebro-filt.	µg/l	<0.01	<0.01	<0.01	<0.01
Živo srebro-sed.	mg/kg				
Titan-filt.	µg/l	1,6	4,1	2,6	5,6

FENOLNE SNOVI

2-Metoksifenol	µg/l
2-Metilfenol	µg/l
Fenol	µg/l
3-Metilfenol+ 4-Metilfenol	µg/l
3-Metilfenol	µg/l
4-Metilfenol	µg/l
2,4-Dimetilfenol	µg/l
3,5-Dimetilfenol	µg/l
2-Klorofenol	µg/l
2-Nitrofenol	µg/l
2,4-Diklorofenol	µg/l
4-Kloro-3-metilfenol	µg/l
2,4,6-Triklorofenol	µg/l
2,4-Dinitrofenol	µg/l
4-Nitrofenol	µg/l
2-Metil-4,6-dinitrofenol	µg/l
Pentaklorofenol	µg/l

PESTICIDI IN METABOLITI

Alaklor	µg/l
Metolaklor	µg/l
Aldrin	µg/l
DDT (p,p)	µg/l
DDT (o,p)	µg/l
DDE (p,p)	µg/l
DDD (o,p)	µg/l
DDD (p,p)	µg/l
Dieldrin	µg/l
Endrin	µg/l
Isodrin	µg/l
Heptaklor	µg/l
Heptaklorepoxid	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: KLIVNIK
 Merilno mesto: Brid
 Šifra merilnega mesta: 765

10.02.2011 13.04.2011 13.07.2011 06.10.2011

cis-heptaklorepoxid	µg/l
trans-heptaklorepoxid	µg/l
alfa-HCH	µg/l
alfa - HCH sed.	mg/kg
beta-HCH	µg/l
beta - HCH sed.	mg/kg
gama-HCH (Lindan)	µg/l
gama - HCH (Lindan) sed.	mg/kg
delta-HCH	µg/l
delta - HCH sed.	mg/kg
Pentaklorobenzen	µg/l
Pentaklorobenzen-sed.	mg/kg
Heksaklorobenzen	µg/l
Heksaklorobenzen sed.	mg/kg
1,2,3-Triklorobenzen	µg/l
1,2,4-Triklorobenzen	µg/l
1,3,5-Triklorobenzen	µg/l
Heksaklorbutadien	µg/l
Heksaklorobutadien sed.	mg/kg
Endosulfan(alfa)	µg/l
Endosulfan(beta)	µg/l
Endosulfan sulfat	µg/l
Paration-etil	µg/l
Paration-metil	µg/l
Glifosat	µg/l
Amonij-metil fosforjeva kislina (AMPA)	µg/l
Atrazin	µg/l
Desetil-atrazin	µg/l
Desizopropil-atrazin	µg/l
Simazin	µg/l
Propazin	µg/l
Prometrin	µg/l
Cianazin	µg/l
Terbutilazin	µg/l
Terbutrin	µg/l
Sekbumeton	µg/l
Metamitron	µg/l
Metribuzin	µg/l
Heksazinon	µg/l
Triadimefon	µg/l
Propikonazol	µg/l
Bromacil	µg/l
Diklobenil	µg/l
2,6-diklorobenzamid	µg/l
Diuron	µg/l
Klortoluron	µg/l
Metobromuron	µg/l
Izoproturon	µg/l
Monuron	µg/l
Linuron	µg/l
Monolinuron	µg/l
Klorbromuron	µg/l
Pendimetalin	µg/l
Trifluralin	µg/l
Metazaklor	µg/l
Acetoklor	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: KLIVNIK
 Merilno mesto: Brid
 Šifra merilnega mesta: 765

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Dimetenamid	µg/l
Napropamid	µg/l
Prosimidon	µg/l
Vinklozolin	µg/l
Folpet	µg/l
Diazinon	µg/l
Kaptan	µg/l
Diklofluanid	µg/l
Klorbenzilat	µg/l
Brompropilat	µg/l
Azoksistrobin	µg/l
Tetradifon	µg/l
Pirimikarb	µg/l
Kloridazon	µg/l
Malation	µg/l
Fenitrothion	µg/l
Fention	µg/l
Klorfenvinfos	µg/l
Klorpirifos etil	µg/l
Klorpirifos metil	µg/l
Mevinfos	µg/l
Diklorfos	µg/l
Ometoat	µg/l
Dimetoat	µg/l

POLICIKLICNI AROMATSKI OGLJIKOVODIKI

Naftalen	µg/l
Naftalen-sed.	mg/kg
Acenaftilen	µg/l
Acenaftilen-sed.	mg/kg
Acenaften	µg/l
Acenaften-sed.	mg/kg
Fluoren	µg/l
Fluoren-sed.	mg/kg
Fenantren	µg/l
Fenantren-sed.	mg/kg
Antracen	µg/l
Antracen-sed.	mg/kg
Fluoranten	µg/l
Fluoranten-sed.	mg/kg
Piren	µg/l
Piren-sed.	mg/kg
Benzo(a)antracen	µg/l
Benzo(a)antracen-sed.	mg/kg
Krizen	µg/l
Krizen-sed.	mg/kg
Benzo(b)fluoranten *	µg/l
Benzo(b)fluoranten-sed.	mg/kg
Benzo(k)fluoranten	µg/l
Benzo(k)fluoranten-sed.	mg/kg
Benzo(a)piren	µg/l
Benzo(a)piren-sed.	mg/kg
Benzo(ghi)perilen	µg/l
Benzo(ghi)perilen-sed.	mg/kg
Dibenzo(a,h)antracen	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: KLIVNIK
 Merilno mesto: Brid
 Šifra merilnega mesta: 765

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Dibenzo(a,h)antracen-sed. mg/kg
 Indeno(1,2,3-cd)piren µg/l
 Indeno(1,2,3-cd)piren-sed. mg/kg

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan µg/l
 Tribromometan µg/l
 Bromdiklorometan µg/l
 Dibromklorometan µg/l
 Tetraklorometan µg/l
 Diklorometan µg/l
 1,1-Dikloroetan µg/l
 1,2-Dikloroetan µg/l
 1,1-Dikloroeten µg/l
 cis-1,2-Dikloroeten µg/l
 trans-1,2-Dikloroeten µg/l
 1,1,2,2-Tetrakloroeten µg/l
 Trikloroeten µg/l
 1,1,1-Trikloroetan µg/l
 1,1,2-Trikloroetan µg/l
 1,1,2,2-Tetrakloroetan µg/l
 Benzen µg/l
 Toluen µg/l
 Ksilen µg/l
 m,p-Ksilen µg/l
 o-Ksilen µg/l
 1,3,5-trimetilbenzen µg/l
 AOX µg Cl/l
 Heksakloroetan µg/l
 n-heksan µg/l
 Etilbenzen µg/l
 1,2,4 Trimetilbenzen µg/l
 Epiklorohidrin µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Topolc
 Šifra merilnega mesta: 9040

04.05.2011 02.06.2011 13.07.2011 11.08.2011

MERITVE NA TERENU

Temperatura zraka 0C
 Temperatura vode 0C
 pH -
 Električna prevodnost (25 0C) µS/cm
 Kisik sonda mg O2/l
 Nasičenost s kisikom - sonda %

OSNOVNI PARAMETRI

Suspendirane snovi po sušenju mg/l
 KPK s KMnO4 mg O2/l
 KPK s K2Cr2O7 mg O2/l
 BPK5 mg O2/l
 TOC mg C/l
 Skupni dušik TN mg N/l
 Amoniak (prosti) mg NH3/l
 Amonij mg NH4/l
 Nitriti mg NO2/l
 Nitrati mg NO3/l
 Sulfati mg/l
 Kloridi mg/l
 Fluoridi µg/l
 Celotni fosfor - nefiltriran mg PO4/l
 Ortofosfati mg PO4/l
 Kalcij mg/l
 Magnezij mg/l
 Natrij mg/l
 Kalij mg/l
 Mangan-filt. µg/l
 Železo - filt. µg/l
 Formaldehid µg/l
 Dušik-Kjeldahl mg N/l
 Skupna trdota ONT
 Karbonatna trdota ONT
 m-Alkaliteta m-equiv/l
 Bor-filt. µg/l

ONESNAŽENJA

Anionaktivni detergenti µg MBAS/l
 Cianidi (prosti) µg/l
 Mineralna olja mg/l
 Mineralna olja - sed. mg/kg
 PCB-28 µg/l
 PCB-52 µg/l
 PCB-101 µg/l
 PCB-118 µg/l
 PCB-138 µg/l
 PCB-153 µg/l
 PCB-180 µg/l
 Dibutilftalat µg/l
 Di-(2-etilheksil)-ftalat (DEHP) µg/l
 Di(2-etilheksil)ftalat (DEHP)-sed. µg/kg

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Topolc
 Šifra merilnega mesta: 9040

04.05.2011 02.06.2011 13.07.2011 11.08.2011

Nonilfenoli	µg/l
Oktilfenoli	µg/l
C10-13 kloroalkani	µg/l
C10-C13 kloroalkani-sed.	µg/kg
Tributilkositrove spojine	µg TBT/l
Tributilkositrove spojine	µg Sn/l
Tributilkositrove spojine-sed.	µg TBT/kg
Dibutilkositrove spojine	µg DBT/l
Dibutilkositrove spojine	µg Sn/l
Dibutilkositrove spojine-sed.	µg DBT/kg
Bisfenol A	µg/l
2,4,6-TriBDE	µg/l
2,4',6-TriBDE	µg/l
2,2',4-TriBDE	µg/l
2,3',4-TriBDE	µg/l
2',3,4-TriBDE	µg/l
2,4,4'-TriBDE	µg/l
3,3',4-TriBDE	µg/l
3,4,4'-TriBDE	µg/l
2,4,4',6-TetraBDE	µg/l
2,2',4',5'-TetraBDE	µg/l
2,3',4',6-TetraBDE	µg/l
2,2',4,4'-TetraBDE	µg/l
2,3',4,4'-TetraBDE	µg/l
3,3',4,4'-TetraBDE	µg/l
2,2',4,4',6-PentaBDE	µg/l
2,3',4,4',6-PentaBDE	µg/l
2,2',4,4',5-PentaBDE	µg/l
2,3,4,5,6-PentaBDE	µg/l
2,3',4,4',5-PentaBDE	µg/l
2,2',3,4,4'-PentaBDE	µg/l
3,3',4,4',5-PentaBDE	µg/l
2,2',4,4',6,6'-HexaBDE	µg/l
2,2',4,4',5,6'-HexaBDE	µg/l
2,2',4,4',5,5'-HexaBDE	µg/l
2,2',3,4,4',5'-HexaBDE	µg/l
2,3,4,4',5,6-HexaBDE	µg/l
2,2',3,4,4',5',6-HeptaBDE	µg/l
2,2',3,4,4',5,6-HeptaBDE	µg/l
2,3,3',4,4',5,6-HeptaBDE	µg/l
2,4,4'-TriBDE-sed.	µg/kg
2,2',4,4'-TetraBDE-sed.	µg/kg
2,2',4,4',6-PentaBDE-sed.	µg/kg
2,2',4,4',5-PentaBDE-sed.	µg/kg
2,2',4,4',5,6'-HexaBDE-sed.	µg/kg
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg

MIKROELEMENTI

Aluminij-filt.	µg/l
Antimon-filt.	µg/l
Arzen-filt.	µg/l
Baker-filt.	µg/l
Baker-sed.	mg/kg
Barij-filt.	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Topolc
 Šifra merilnega mesta: 9040

04.05.2011 02.06.2011 13.07.2011 11.08.2011

Berilij-filt.	µg/l
Cink-filt.	µg/l
Cink-sed.	mg/kg
Kadmij-filt.	µg/l
Kadmij-sed.	mg/kg
Kobalt-filt.	µg/l
Kositer-filt.	µg/l
Krom-filt.	µg/l
Krom-sed.	mg/kg
Molibden-filt.	µg/l
Nikelj-filt.	µg/l
Nikelj-sed.	mg/kg
Selen-filt.	µg/l
Srebro-filt.	µg/l
Svinec-filt.	µg/l
Svinec-sed.	mg/kg
Vanadij-filt.	µg/l
Živo srebro-filt.	µg/l
Živo srebro-sed.	mg/kg
Titan-filt.	µg/l

FENOLNE SNOVI

2-Metoksifenol	µg/l
2-Metilfenol	µg/l
Fenol	µg/l
3-Metilfenol+ 4-Metilfenol	µg/l
3-Metilfenol	µg/l
4-Metilfenol	µg/l
2,4-Dimetilfenol	µg/l
3,5-Dimetilfenol	µg/l
2-Klorofenol	µg/l
2-Nitrofenol	µg/l
2,4-Diklorofenol	µg/l
4-Kloro-3-metilfenol	µg/l
2,4,6-Triklorofenol	µg/l
2,4-Dinitrofenol	µg/l
4-Nitrofenol	µg/l
2-Metil-4,6-dinitrofenol	µg/l
Pentaklorofenol	µg/l

PESTICIDI IN METABOLITI

Alaklor	µg/l	<0.03	<0.03	<0.03	<0.03
Metolaklor	µg/l	<0.05	<0.05	<0.05	<0.05
Aldrin	µg/l				
DDT (p,p)	µg/l				
DDT (o,p)	µg/l				
DDE (p,p)	µg/l				
DDD (o,p)	µg/l				
DDD (p,p)	µg/l				
Dieldrin	µg/l				
Endrin	µg/l				
Isodrin	µg/l				
Heptaklor	µg/l				
Heptaklorepoxid	µg/l				

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Topolc
 Šifra merilnega mesta: 9040

		04.05.2011	02.06.2011	13.07.2011	11.08.2011
cis-heptaklorepoxid	µg/l				
trans-heptaklorepoxid	µg/l				
alfa-HCH	µg/l				
alfa - HCH sed.	mg/kg				
beta-HCH	µg/l				
beta - HCH sed.	mg/kg				
gama-HCH (Lindan)	µg/l				
gama - HCH (Lindan) sed.	mg/kg				
delta-HCH	µg/l				
delta - HCH sed.	mg/kg				
Pentaklorobenzen	µg/l				
Pentaklorobenzen-sed.	mg/kg				
Heksaklorobenzen	µg/l				
Heksaklorobenzen sed.	mg/kg				
1,2,3-Triklorobenzen	µg/l				
1,2,4-Triklorobenzen	µg/l				
1,3,5-Triklorobenzen	µg/l				
Heksaklorbutadien	µg/l				
Heksaklorobutadien sed.	mg/kg				
Endosulfan(alfa)	µg/l				
Endosulfan(beta)	µg/l				
Endosulfan sulfat	µg/l				
Paration-etil	µg/l	<0.05	<0.05	<0.05	<0.05
Paration-metil	µg/l	<0.05	<0.05	<0.05	<0.05
Glifosat	µg/l				
Amonij-metil fosforjeva kislina (AMPA)	µg/l				
Atrazin	µg/l	<0.02	<0.02	<0.02	<0.02
Desetil-atrazin	µg/l	<0.05	<0.05	<0.05	<0.05
Desizopropil-atrazin	µg/l	<0.05	<0.05	<0.05	<0.05
Simazin	µg/l	<0.03	<0.03	<0.03	<0.03
Propazin	µg/l	<0.05	<0.05	<0.05	<0.05
Prometrin	µg/l	<0.05	<0.05	<0.05	<0.05
Cianazin	µg/l	<0.05	<0.05	<0.05	<0.05
Terbutilazin	µg/l	<0.03	<0.03	<0.03	<0.03
Terbutrin	µg/l	<0.05	<0.05	<0.05	<0.05
Sekbumeton	µg/l	<0.05	<0.05	<0.05	<0.05
Metamitron	µg/l				
Metribuzin	µg/l				
Heksazinon	µg/l	<0.05	<0.05	<0.05	<0.05
Triadimefon	µg/l	<0.05	<0.05	<0.05	<0.05
Propikonazol	µg/l	<0.05	<0.05	<0.05	<0.05
Bromacil	µg/l				
Diklobenil	µg/l	<0.05	<0.05	<0.05	<0.05
2,6-diklorobenzamid	µg/l	<0.05	<0.05	<0.05	<0.05
Diuron	µg/l				
Klortoluron	µg/l				
Metobromuron	µg/l				
Izoproturon	µg/l				
Monuron	µg/l				
Linuron	µg/l				
Monolinuron	µg/l				
Klorbromuron	µg/l				
Pendimetalin	µg/l	<0.03	<0.03	<0.03	<0.03
Trifluralin	µg/l	<0.009	<0.009	<0.009	<0.009
Metazaklor	µg/l	<0.05	<0.05	<0.05	<0.05
Acetoklor	µg/l	<0.05	<0.05	<0.05	<0.05

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Topolc
 Šifra merilnega mesta: 9040

		04.05.2011	02.06.2011	13.07.2011	11.08.2011
Dimetenamid	µg/l	<0.05	<0.05	<0.05	<0.05
Napropamid	µg/l	<0.05	<0.05	<0.05	<0.05
Prosimidon	µg/l	<0.05	<0.05	<0.05	<0.05
Vinklozolin	µg/l	<0.05	<0.05	<0.05	<0.05
Folpet	µg/l	<0.05	<0.05	<0.05	<0.05
Diazinon	µg/l	<0.05	<0.05	<0.05	<0.05
Kaptan	µg/l	<0.05	<0.05	<0.05	<0.05
Diklofluamid	µg/l	<0.05	<0.05	<0.05	<0.05
Klorbenzilat	µg/l	<0.05	<0.05	<0.05	<0.05
Brompropilat	µg/l	<0.05	<0.05	<0.05	<0.05
Azoksistrobin	µg/l	<0.05	<0.05	<0.05	<0.05
Tetradifon	µg/l	<0.05	<0.05	<0.05	<0.05
Pirimikarb	µg/l	<0.05	<0.05	<0.05	<0.05
Kloridazon	µg/l				
Malation	µg/l	<0.05	<0.05	<0.05	<0.05
Fenitrothion	µg/l	<0.05	<0.05	<0.05	<0.05
Fention	µg/l	<0.05	<0.05	<0.05	<0.05
Klorfenvinfos	µg/l	<0.03	<0.03	<0.03	<0.03
Klorpirifos etil	µg/l	<0.009	<0.009	<0.009	<0.009
Klorpirifos metil	µg/l	<0.01	<0.01	<0.01	<0.01
Mevinfos	µg/l	<0.05	<0.05	<0.05	<0.05
Diklorfos	µg/l	<0.05	<0.05	<0.05	<0.05
Ometoat	µg/l	<0.05	<0.05	<0.05	<0.05
Dimetoat	µg/l	<0.05	<0.05	<0.05	<0.05

POLICIKLICNI AROMATSKI OGLJIKOVODIKI

Naftalen	µg/l
Naftalen-sed.	mg/kg
Acenaftilen	µg/l
Acenaftilen-sed.	mg/kg
Acenaften	µg/l
Acenaften-sed.	mg/kg
Fluoren	µg/l
Fluoren-sed.	mg/kg
Fenantren	µg/l
Fenantren-sed.	mg/kg
Antracen	µg/l
Antracen-sed.	mg/kg
Fluoranten	µg/l
Fluoranten-sed.	mg/kg
Piren	µg/l
Piren-sed.	mg/kg
Benzo(a)antracen	µg/l
Benzo(a)antracen-sed.	mg/kg
Krizen	µg/l
Krizen-sed.	mg/kg
Benzo(b)fluoranten *	µg/l
Benzo(b)fluoranten-sed.	mg/kg
Benzo(k)fluoranten	µg/l
Benzo(k)fluoranten-sed.	mg/kg
Benzo(a)piren	µg/l
Benzo(a)piren-sed.	mg/kg
Benzo(ghi)perilen	µg/l
Benzo(ghi)perilen-sed.	mg/kg
Dibenzo(a,h)antracen	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Topolc
 Šifra merilnega mesta: 9040

04.05.2011 02.06.2011 13.07.2011 11.08.2011

Dibenzo(a,h)antracen-sed. mg/kg
 Indeno(1,2,3-cd)piren µg/l
 Indeno(1,2,3-cd)piren-sed. mg/kg

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan µg/l
 Tribromometan µg/l
 Bromdiklorometan µg/l
 Dibromklorometan µg/l
 Tetraklorometan µg/l
 Diklorometan µg/l
 1,1-Dikloroetan µg/l
 1,2-Dikloroetan µg/l
 1,1-Dikloroeten µg/l
 cis-1,2-Dikloroeten µg/l
 trans-1,2-Dikloroeten µg/l
 1,1,2,2-Tetrakloroeten µg/l
 Trikloroeten µg/l
 1,1,1-Trikloroetan µg/l
 1,1,2-Trikloroetan µg/l
 1,1,2,2-Tetrakloroetan µg/l
 Benzen µg/l
 Toluen µg/l
 Ksilen µg/l
 m,p-Ksilen µg/l
 o-Ksilen µg/l
 1,3,5-trimetilbenzen µg/l
 AOX µg Cl/l
 Heksakloroetan µg/l
 n-heksan µg/l
 Etilbenzen µg/l
 1,2,4 Trimetilbenzen µg/l
 Epiklorohidrin µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Cerkvenikov mlin
 Šifra merilnega mesta: 9050

10.02.2011 13.04.2011 13.07.2011 06.10.2011

MERITVE NA TERENU

Temperatura zraka	0C	8	9	26	12
Temperatura vode	0C	5,5	11,2	21,7	13,2
pH	-	8,4	8,2	8,2	8,1
Električna prevodnost (25 0C)	µS/cm	350	323	360	290
Kisik sonda	mg O2/l	12,9	10,6	6,5	7,1
Nasičenost s kisikom - sonda	%	103	101	77	71

OSNOVNI PARAMETRI

Suspendirane snovi po sušenju	mg/l	<2	7	48	<2
KPK s KMnO4	mg O2/l				
KPK s K2Cr2O7	mg O2/l	<5	9	<5	<5
BPK5	mg O2/l	1,3	1,8	2,1	0,7
TOC	mg C/l	1	2,2	2,1	2,6
Skupni dušik TN	mg N/l	0,71	1	1,12	0,71
Amoniak (prosti)	mg NH3/l	<0.003	<0.003	0,003	<0.003
Amonij	mg NH4/l	0,026	0,026	0,051	<0.013
Nitriti	mg NO2/l	0,016	0,016	0,02	0,007
Nitrati	mg NO3/l	3,1	4,4	2,7	3,1
Sulfati	mg/l	9,3	9,8	7,3	7,9
Kloridi	mg/l	4,7	4	5,5	6,4
Fluoridi	µg/l	<200	<200	<200	<200
Celotni fosfor - nefiltriran	mg PO4/l	0,049	0,064	0,119	0,26
Ortofosfati	mg PO4/l	<0.031	<0.031	0,031	0,092
Kalcij	mg/l	64	56	61	49
Magnezij	mg/l	5,6	6,1	4,2	3,6
Natrij	mg/l	4,3	4,6	5,2	5,5
Kalij	mg/l	0,9	1,2	1,5	1,6
Mangan-filt.	µg/l				
Železo - filt.	µg/l				
Formaldehid	µg/l				
Dušik-Kjeldahl	mg N/l	<0.5	<0.5	0,5	<0.5
Skupna trdota	ONT	10,2	9,2	9,5	7,7
Karbonatna trdota	ONT	9,1	8,2	9,5	
m-Alkaliteta	m-equiv/l	3,3	2,9	3,4	2,8
Bor-filt.	µg/l				

ONESNAŽENJA

Anionaktivni detergenti	µg MBAS/l
Cianidi (prosti)	µg/l
Mineralna olja	mg/l
Mineralna olja - sed.	mg/kg
PCB-28	µg/l
PCB-52	µg/l
PCB-101	µg/l
PCB-118	µg/l
PCB-138	µg/l
PCB-153	µg/l
PCB-180	µg/l
Dibutilftalat	µg/l
Di-(2-etilheksil)-ftalat (DEHP)	µg/l
Di(2-etilheksil)ftalat (DEHP)-sed.	µg/kg

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Cerkvenikov mlin
 Šifra merilnega mesta: 9050

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Nonilfenoli	µg/l
Oktilfenoli	µg/l
C10-13 kloroalkani	µg/l
C10-C13 kloroalkani-sed.	µg/kg
Tributilkositrove spojine	µg TBT/l
Tributilkositrove spojine	µg Sn/l
Tributilkositrove spojine-sed.	µg TBT/kg
Dibutilkositrove spojine	µg DBT/l
Dibutilkositrove spojine	µg Sn/l
Dibutilkositrove spojine-sed.	µg DBT/kg
Bisfenol A	µg/l
2,4,6-TriBDE	µg/l
2,4',6-TriBDE	µg/l
2,2',4-TriBDE	µg/l
2,3',4-TriBDE	µg/l
2',3,4-TriBDE	µg/l
2,4,4'-TriBDE	µg/l
3,3',4-TriBDE	µg/l
3,4,4'-TriBDE	µg/l
2,4,4',6-TetraBDE	µg/l
2,2',4',5'-TetraBDE	µg/l
2,3',4',6-TetraBDE	µg/l
2,2',4,4'-TetraBDE	µg/l
2,3',4,4'-TetraBDE	µg/l
3,3',4,4'-TetraBDE	µg/l
2,2',4,4',6-PentaBDE	µg/l
2,3',4,4',6-PentaBDE	µg/l
2,2',4,4',5-PentaBDE	µg/l
2,3,4,5,6-PentaBDE	µg/l
2,3',4,4',5-PentaBDE	µg/l
2,2',3,4,4'-PentaBDE	µg/l
3,3',4,4',5-PentaBDE	µg/l
2,2',4,4',6,6'-HexaBDE	µg/l
2,2',4,4',5,6'-HexaBDE	µg/l
2,2',4,4',5,5'-HexaBDE	µg/l
2,2',3,4,4',5'-HexaBDE	µg/l
2,3,4,4',5,6-HexaBDE	µg/l
2,2',3,4,4',5',6-HeptaBDE	µg/l
2,2',3,4,4',5,6-HeptaBDE	µg/l
2,3,3',4,4',5,6-HeptaBDE	µg/l
2,4,4'-TriBDE-sed.	µg/kg
2,2',4,4'-TetraBDE-sed.	µg/kg
2,2',4,4',6-PentaBDE-sed.	µg/kg
2,2',4,4',5-PentaBDE-sed.	µg/kg
2,2',4,4',5,6'-HexaBDE-sed.	µg/kg
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg

MIKROELEMENTI

Aluminij-filt.	µg/l
Antimon-filt.	µg/l
Arzen-filt.	µg/l
Baker-filt.	µg/l
Baker-sed.	mg/kg
Barij-filt.	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Cerkvenikov mlin
 Šifra merilnega mesta: 9050

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Berilij-filt.	µg/l
Cink-filt.	µg/l
Cink-sed.	mg/kg
Kadmij-filt.	µg/l
Kadmij-sed.	mg/kg
Kobalt-filt.	µg/l
Kositer-filt.	µg/l
Krom-filt.	µg/l
Krom-sed.	mg/kg
Molibden-filt.	µg/l
Nikelj-filt.	µg/l
Nikelj-sed.	mg/kg
Selen-filt.	µg/l
Srebro-filt.	µg/l
Svinec-filt.	µg/l
Svinec-sed.	mg/kg
Vanadij-filt.	µg/l
Živo srebro-filt.	µg/l
Živo srebro-sed.	mg/kg
Titan-filt.	µg/l

FENOLNE SNOVI

2-Metoksifenol	µg/l
2-Metilfenol	µg/l
Fenol	µg/l
3-Metilfenol+ 4-Metilfenol	µg/l
3-Metilfenol	µg/l
4-Metilfenol	µg/l
2,4-Dimetilfenol	µg/l
3,5-Dimetilfenol	µg/l
2-Klorofenol	µg/l
2-Nitrofenol	µg/l
2,4-Diklorofenol	µg/l
4-Kloro-3-metilfenol	µg/l
2,4,6-Triklorofenol	µg/l
2,4-Dinitrofenol	µg/l
4-Nitrofenol	µg/l
2-Metil-4,6-dinitrofenol	µg/l
Pentaklorofenol	µg/l

PESTICIDI IN METABOLITI

Alaklor	µg/l
Metolaklor	µg/l
Aldrin	µg/l
DDT (p,p)	µg/l
DDT (o,p)	µg/l
DDE (p,p)	µg/l
DDD (o,p)	µg/l
DDD (p,p)	µg/l
Dieldrin	µg/l
Endrin	µg/l
Isodrin	µg/l
Heptaklor	µg/l
Heptaklorepoksid	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Cerkvenikov mlin
 Šifra merilnega mesta: 9050

10.02.2011 13.04.2011 13.07.2011 06.10.2011

cis-heptaklorepoxid	µg/l
trans-heptaklorepoxid	µg/l
alfa-HCH	µg/l
alfa - HCH sed.	mg/kg
beta-HCH	µg/l
beta - HCH sed.	mg/kg
gama-HCH (Lindan)	µg/l
gama - HCH (Lindan) sed.	mg/kg
delta-HCH	µg/l
delta - HCH sed.	mg/kg
Pentaklorobenzen	µg/l
Pentaklorobenzen-sed.	mg/kg
Heksaklorobenzen	µg/l
Heksaklorobenzen sed.	mg/kg
1,2,3-Triklorobenzen	µg/l
1,2,4-Triklorobenzen	µg/l
1,3,5-Triklorobenzen	µg/l
Heksaklorbutadien	µg/l
Heksaklorobutadien sed.	mg/kg
Endosulfan(alfa)	µg/l
Endosulfan(beta)	µg/l
Endosulfan sulfat	µg/l
Paration-etil	µg/l
Paration-metil	µg/l
Glifosat	µg/l
Amonij-metil fosforjeva kislina (AMPA)	µg/l
Atrazin	µg/l
Desetil-atrazin	µg/l
Desizopropil-atrazin	µg/l
Simazin	µg/l
Propazin	µg/l
Prometrin	µg/l
Cianazin	µg/l
Terbutilazin	µg/l
Terbutrin	µg/l
Sekbumeton	µg/l
Metamitron	µg/l
Metribuzin	µg/l
Heksazinon	µg/l
Triadimefon	µg/l
Propikonazol	µg/l
Bromacil	µg/l
Diklobenil	µg/l
2,6-diklorobenzamid	µg/l
Diuron	µg/l
Klortoluron	µg/l
Metobromuron	µg/l
Izoproturon	µg/l
Monuron	µg/l
Linuron	µg/l
Monolinuron	µg/l
Klorbromuron	µg/l
Pendimetalin	µg/l
Trifluralin	µg/l
Metazaklor	µg/l
Acetoklor	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Cerkvenikov mlin
 Šifra merilnega mesta: 9050

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Dimetenamid	µg/l
Napropamid	µg/l
Prosimidon	µg/l
Vinklozolin	µg/l
Folpet	µg/l
Diazinon	µg/l
Kaptan	µg/l
Diklofluanid	µg/l
Klorbenzilat	µg/l
Brompropilat	µg/l
Azoksistrobin	µg/l
Tetradifon	µg/l
Pirimikarb	µg/l
Kloridazon	µg/l
Malation	µg/l
Fenitrothion	µg/l
Fention	µg/l
Klorfenvinfos	µg/l
Klorpirifos etil	µg/l
Klorpirifos metil	µg/l
Mevinfos	µg/l
Diklorfos	µg/l
Ometoat	µg/l
Dimetoat	µg/l

POLICIKLICNI AROMATSKI OGLJIKOVODIKI

Naftalen	µg/l
Naftalen-sed.	mg/kg
Acenaftilen	µg/l
Acenaftilen-sed.	mg/kg
Acenaften	µg/l
Acenaften-sed.	mg/kg
Fluoren	µg/l
Fluoren-sed.	mg/kg
Fenantren	µg/l
Fenantren-sed.	mg/kg
Antracen	µg/l
Antracen-sed.	mg/kg
Fluoranten	µg/l
Fluoranten-sed.	mg/kg
Piren	µg/l
Piren-sed.	mg/kg
Benzo(a)antracen	µg/l
Benzo(a)antracen-sed.	mg/kg
Krizen	µg/l
Krizen-sed.	mg/kg
Benzo(b)fluoranten *	µg/l
Benzo(b)fluoranten-sed.	mg/kg
Benzo(k)fluoranten	µg/l
Benzo(k)fluoranten-sed.	mg/kg
Benzo(a)piren	µg/l
Benzo(a)piren-sed.	mg/kg
Benzo(ghi)perilen	µg/l
Benzo(ghi)perilen-sed.	mg/kg
Dibenzo(a,h)antracen	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: REKA
 Merilno mesto: Cerkvenikov mlin
 Šifra merilnega mesta: 9050

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Dibenzo(a,h)antracen-sed. mg/kg
 Indeno(1,2,3-cd)piren µg/l
 Indeno(1,2,3-cd)piren-sed. mg/kg

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan µg/l
 Tribromometan µg/l
 Bromdiklorometan µg/l
 Dibromklorometan µg/l
 Tetraklorometan µg/l
 Diklorometan µg/l
 1,1-Dikloroetan µg/l
 1,2-Dikloroetan µg/l
 1,1-Dikloroeten µg/l
 cis-1,2-Dikloroeten µg/l
 trans-1,2-Dikloroeten µg/l
 1,1,2,2-Tetrakloroeten µg/l
 Trikloroeten µg/l
 1,1,1-Trikloroetan µg/l
 1,1,2-Trikloroetan µg/l
 1,1,2,2-Tetrakloroetan µg/l
 Benzen µg/l
 Toluen µg/l
 Ksilen µg/l
 m,p-Ksilen µg/l
 o-Ksilen µg/l
 1,3,5-trimetilbenzen µg/l
 AOX µg Cl/l
 Heksakloroetan µg/l
 n-heksan µg/l
 Etilbenzen µg/l
 1,2,4 Trimetilbenzen µg/l
 Epiklorohidrin µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: RIŽANA
 Merilno mesto: Dekani nad pregrado
 Šifra merilnega mesta: 9235

10.02.2011 13.04.2011 13.07.2011 06.10.2011

MERITVE NA TERENU

Temperatura zraka	0C	3	13	31	24
Temperatura vode	0C	7,1	12	26	17,9
pH	-	8,2	8,4	8,1	8,2
Električna prevodnost (25 0C)	µS/cm	467	390	386	421
Kisik sonda	mg O2/l	10,8	11,2	7,8	8,7
Nasičenost s kisikom - sonda	%	89	104	94	90

OSNOVNI PARAMETRI

Suspendirane snovi po sušenju	mg/l	5,7	4,2	11	5,7
KPK s KMnO4	mg O2/l				
KPK s K2Cr2O7	mg O2/l	<5	<5	<5	<5
BPK5	mg O2/l	0,8	1,3	1	0,7
TOC	mg C/l	1	1,1	1,5	1,8
Skupni dušik TN	mg N/l	1,11	0,8	0,62	0,8
Amoniak (prosti)	mg NH3/l	0,004	<0.003	<0.003	<0.003
Amonij	mg NH4/l	0,18	0,026	0,026	<0.013
Nitriti	mg NO2/l	0,059	0,013	0,02	0,01
Nitrati	mg NO3/l	3,5	3,5	2,7	3,5
Sulfati	mg/l	18	15	13	11
Kloridi	mg/l	6	4,8	6,1	6
Fluoridi	µg/l	<200	<200	<200	<200
Celotni fosfor - nefiltriran	mg PO4/l	0,092	0,067	0,061	0,034
Ortofosfati	mg PO4/l	0,092	<0.031	<0.031	<0.031
Kalcij	mg/l	87	79	69	79
Magnezij	mg/l	6,2	6,2	4,7	5
Natrij	mg/l	5,9	4,1	5,2	4,6
Kalij	mg/l	1	0,8	0,9	1
Mangan-filt.	µg/l				
Železo - filt.	µg/l				
Formaldehid	µg/l				
Dušik-Kjeldahl	mg N/l	<0.5	<0.5	<0.5	<0.5
Skupna trdota	ONT	13,6	12,5	10,7	12,2
Karbonatna trdota	ONT	12	11,4	10	11,7
m-Alkaliteta	m-equiv/l	4,3	4,1	3,6	4,2
Bor-filt.	µg/l				

ONESNAŽENJA

Anionaktivni detergenti	µg MBAS/l				
Cianidi (prosti)	µg/l				
Mineralna olja	mg/l	<0.015	<0.015	<0.015	<0.015
Mineralna olja - sed.	mg/kg				
PCB-28	µg/l				
PCB-52	µg/l				
PCB-101	µg/l				
PCB-118	µg/l				
PCB-138	µg/l				
PCB-153	µg/l				
PCB-180	µg/l				
Dibutilftalat	µg/l				
Di-(2-etilheksil)-ftalat (DEHP)	µg/l				
Di(2-etilheksil)ftalat (DEHP)-sed.	µg/kg				

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: RIŽANA
 Merilno mesto: Dekani nad pregrado
 Šifra merilnega mesta: 9235

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Nonilfenoli	µg/l
Oktilfenoli	µg/l
C10-13 kloroalkani	µg/l
C10-C13 kloroalkani-sed.	µg/kg
Tributilkositrove spojine	µg TBT/l
Tributilkositrove spojine	µg Sn/l
Tributilkositrove spojine-sed.	µg TBT/kg
Dibutilkositrove spojine	µg DBT/l
Dibutilkositrove spojine	µg Sn/l
Dibutilkositrove spojine-sed.	µg DBT/kg
Bisfenol A	µg/l
2,4,6-TriBDE	µg/l
2,4',6-TriBDE	µg/l
2,2',4-TriBDE	µg/l
2,3',4-TriBDE	µg/l
2',3,4-TriBDE	µg/l
2,4,4'-TriBDE	µg/l
3,3',4-TriBDE	µg/l
3,4,4'-TriBDE	µg/l
2,4,4',6-TetraBDE	µg/l
2,2',4',5'-TetraBDE	µg/l
2,3',4',6-TetraBDE	µg/l
2,2',4,4'-TetraBDE	µg/l
2,3',4,4'-TetraBDE	µg/l
3,3',4,4'-TetraBDE	µg/l
2,2',4,4',6-PentaBDE	µg/l
2,3',4,4',6-PentaBDE	µg/l
2,2',4,4',5-PentaBDE	µg/l
2,3,4,5,6-PentaBDE	µg/l
2,3',4,4',5-PentaBDE	µg/l
2,2',3,4,4'-PentaBDE	µg/l
3,3',4,4',5-PentaBDE	µg/l
2,2',4,4',6,6'-HexaBDE	µg/l
2,2',4,4',5,6'-HexaBDE	µg/l
2,2',4,4',5,5'-HexaBDE	µg/l
2,2',3,4,4',5'-HexaBDE	µg/l
2,3,4,4',5,6-HexaBDE	µg/l
2,2',3,4,4',5',6-HeptaBDE	µg/l
2,2',3,4,4',5,6-HeptaBDE	µg/l
2,3,3',4,4',5,6-HeptaBDE	µg/l
2,4,4'-TriBDE-sed.	µg/kg
2,2',4,4'-TetraBDE-sed.	µg/kg
2,2',4,4',6-PentaBDE-sed.	µg/kg
2,2',4,4',5-PentaBDE-sed.	µg/kg
2,2',4,4',5,6'-HexaBDE-sed.	µg/kg
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg

MIKROELEMENTI

Aluminij-filt.	µg/l
Antimon-filt.	µg/l
Arzen-filt.	µg/l
Baker-filt.	µg/l
Baker-sed.	mg/kg
Barij-filt.	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: RIŽANA
 Merilno mesto: Dekani nad pregrado
 Šifra merilnega mesta: 9235

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Berilij-filt.	µg/l
Cink-filt.	µg/l
Cink-sed.	mg/kg
Kadmij-filt.	µg/l
Kadmij-sed.	mg/kg
Kobalt-filt.	µg/l
Kositer-filt.	µg/l
Krom-filt.	µg/l
Krom-sed.	mg/kg
Molibden-filt.	µg/l
Nikelj-filt.	µg/l
Nikelj-sed.	mg/kg
Selen-filt.	µg/l
Srebro-filt.	µg/l
Svinec-filt.	µg/l
Svinec-sed.	mg/kg
Vanadij-filt.	µg/l
Živo srebro-filt.	µg/l
Živo srebro-sed.	mg/kg
Titan-filt.	µg/l

FENOLNE SNOVI

2-Metoksifenol	µg/l
2-Metilfenol	µg/l
Fenol	µg/l
3-Metilfenol+ 4-Metilfenol	µg/l
3-Metilfenol	µg/l
4-Metilfenol	µg/l
2,4-Dimetilfenol	µg/l
3,5-Dimetilfenol	µg/l
2-Klorofenol	µg/l
2-Nitrofenol	µg/l
2,4-Diklorofenol	µg/l
4-Kloro-3-metilfenol	µg/l
2,4,6-Triklorofenol	µg/l
2,4-Dinitrofenol	µg/l
4-Nitrofenol	µg/l
2-Metil-4,6-dinitrofenol	µg/l
Pentaklorofenol	µg/l

PESTICIDI IN METABOLITI

Alaklor	µg/l
Metolaklor	µg/l
Aldrin	µg/l
DDT (p,p)	µg/l
DDT (o,p)	µg/l
DDE (p,p)	µg/l
DDD (o,p)	µg/l
DDD (p,p)	µg/l
Dieldrin	µg/l
Endrin	µg/l
Isodrin	µg/l
Heptaklor	µg/l
Heptaklorepoksid	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: RIŽANA
 Merilno mesto: Dekani nad pregrado
 Šifra merilnega mesta: 9235

10.02.2011 13.04.2011 13.07.2011 06.10.2011

cis-heptaklorepoxid	µg/l
trans-heptaklorepoxid	µg/l
alfa-HCH	µg/l
alfa - HCH sed.	mg/kg
beta-HCH	µg/l
beta - HCH sed.	mg/kg
gama-HCH (Lindan)	µg/l
gama - HCH (Lindan) sed.	mg/kg
delta-HCH	µg/l
delta - HCH sed.	mg/kg
Pentaklorobenzen	µg/l
Pentaklorobenzen-sed.	mg/kg
Heksaklorobenzen	µg/l
Heksaklorobenzen sed.	mg/kg
1,2,3-Triklorobenzen	µg/l
1,2,4-Triklorobenzen	µg/l
1,3,5-Triklorobenzen	µg/l
Heksaklorbutadien	µg/l
Heksaklorobutadien sed.	mg/kg
Endosulfan(alfa)	µg/l
Endosulfan(beta)	µg/l
Endosulfan sulfat	µg/l
Paration-etil	µg/l
Paration-metil	µg/l
Glifosat	µg/l
Amonij-metil fosforjeva kislina (AMPA)	µg/l
Atrazin	µg/l
Desetil-atrazin	µg/l
Desizopropil-atrazin	µg/l
Simazin	µg/l
Propazin	µg/l
Prometrin	µg/l
Cianazin	µg/l
Terbutilazin	µg/l
Terbutrin	µg/l
Sekbumeton	µg/l
Metamitron	µg/l
Metribuzin	µg/l
Heksazinon	µg/l
Triadimefon	µg/l
Propikonazol	µg/l
Bromacil	µg/l
Diklobenil	µg/l
2,6-diklorobenzamid	µg/l
Diuron	µg/l
Klortoluron	µg/l
Metobromuron	µg/l
Izoproturon	µg/l
Monuron	µg/l
Linuron	µg/l
Monolinuron	µg/l
Klorbromuron	µg/l
Pendimetalin	µg/l
Trifluralin	µg/l
Metazaklor	µg/l
Acetoklor	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: RIŽANA
 Merilno mesto: Dekani nad pregrado
 Šifra merilnega mesta: 9235

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Dimetenamid	µg/l
Napropamid	µg/l
Prosimidon	µg/l
Vinklozolin	µg/l
Folpet	µg/l
Diazinon	µg/l
Kaptan	µg/l
Diklofluanid	µg/l
Klorbenzilat	µg/l
Brompropilat	µg/l
Azoksistrobin	µg/l
Tetradifon	µg/l
Pirimikarb	µg/l
Kloridazon	µg/l
Malation	µg/l
Fenitrothion	µg/l
Fention	µg/l
Klorfenvinfos	µg/l
Klorpirifos etil	µg/l
Klorpirifos metil	µg/l
Mevinfos	µg/l
Diklorfos	µg/l
Ometoat	µg/l
Dimetoat	µg/l

POLICIKLICNI AROMATSKI OGLJIKOVODIKI

Naftalen	µg/l
Naftalen-sed.	mg/kg
Acenaftilen	µg/l
Acenaftilen-sed.	mg/kg
Acenaften	µg/l
Acenaften-sed.	mg/kg
Fluoren	µg/l
Fluoren-sed.	mg/kg
Fenantren	µg/l
Fenantren-sed.	mg/kg
Antracen	µg/l
Antracen-sed.	mg/kg
Fluoranten	µg/l
Fluoranten-sed.	mg/kg
Piren	µg/l
Piren-sed.	mg/kg
Benzo(a)antracen	µg/l
Benzo(a)antracen-sed.	mg/kg
Krizen	µg/l
Krizen-sed.	mg/kg
Benzo(b)fluoranten *	µg/l
Benzo(b)fluoranten-sed.	mg/kg
Benzo(k)fluoranten	µg/l
Benzo(k)fluoranten-sed.	mg/kg
Benzo(a)piren	µg/l
Benzo(a)piren-sed.	mg/kg
Benzo(ghi)perilen	µg/l
Benzo(ghi)perilen-sed.	mg/kg
Dibenzo(a,h)antracen	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: RIŽANA
 Merilno mesto: Dekani nad pregrado
 Šifra merilnega mesta: 9235

10.02.2011 13.04.2011 13.07.2011 06.10.2011

Dibenzo(a,h)antracen-sed. mg/kg
 Indeno(1,2,3-cd)piren µg/l
 Indeno(1,2,3-cd)piren-sed. mg/kg

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan µg/l
 Tribromometan µg/l
 Bromdiklorometan µg/l
 Dibromklorometan µg/l
 Tetraklorometan µg/l
 Diklorometan µg/l
 1,1-Dikloroetan µg/l
 1,2-Dikloroetan µg/l
 1,1-Dikloroeten µg/l
 cis-1,2-Dikloroeten µg/l
 trans-1,2-Dikloroeten µg/l
 1,1,2,2-Tetrakloroeten µg/l
 Trikloroeten µg/l
 1,1,1-Trikloroetan µg/l
 1,1,2-Trikloroetan µg/l
 1,1,2,2-Tetrakloroetan µg/l
 Benzen µg/l
 Toluen µg/l
 Ksilen µg/l
 m,p-Ksilen µg/l
 o-Ksilen µg/l
 1,3,5-trimetilbenzen µg/l
 AOX µg Cl/l
 Heksakloroetan µg/l
 n-heksan µg/l
 Etilbenzen µg/l
 1,2,4 Trimetilbenzen µg/l
 Epiklorohidrin µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

18.01.2011 10.02.2011 09.03.2011 13.04.2011 04.05.2011 02.06.2011

MERITVE NA TERENU

Temperatura zraka	0C		3		15		21
Temperatura vode	0C		4,2		13,4		18,5
pH	-		8,1		8,1		8,1
Električna prevodnost (25 0C)	µS/cm		538		506		525
Kisik sonda	mg O2/l		11,4		10,7		8,4
Nasičenost s kisikom - sonda	%		87		103		90

OSNOVNI PARAMETRI

Suspendirane snovi po sušenju	mg/l		<2		<2		7,7
KPK s KMnO4	mg O2/l						
KPK s K2Cr2O7	mg O2/l		<5		<5		<5
BPK5	mg O2/l		0,9		1		0,7
TOC	mg C/l		0,9		1,2		1,1
Skupni dušik TN	mg N/l		0,5		0,41		0,61
Amoniak (prosti)	mg NH3/l		<0.003		<0.003		<0.003
Amonij	mg NH4/l		0,013		0,026		0,013
Nitriti	mg NO2/l		0,01		<0.007		0,007
Nitrati	mg NO3/l		2,2		<2.2		<2.2
Sulfati	mg/l		38		42		47
Kloridi	mg/l		10		12		12
Fluoridi	µg/l		<200		<200		<200
Celotni fosfor - nefiltriran	mg PO4/l		0,028		0,135		0,058
Ortofosfati	mg PO4/l		<0.031		<0.031		<0.031
Kalcij	mg/l		93		82		87
Magnezij	mg/l		10		2,2		8
Natrij	mg/l		9,5		10		10
Kalij	mg/l		1,4		1,3		1,5
Mangan-filt.	µg/l	2,9	3,2	3	3,2	3,9	5,7
Železo - filt.	µg/l	<100	<100	<100	<100	<100	<100
Formaldehid	µg/l						
Dušik-Kjeldahl	mg N/l		<0.5		<0.5		<0.5
Skupna trdota	ONT		15,3		12		14
Karbonatna trdota	ONT		11,6		6,7		11,4
m-Alkaliteta	m-equiv/l		4,1		2,4		4,1
Bor-filt.	µg/l	18	24	21	27	32	33

ONESNAŽENJA

Anionaktivni detergenti	µg MBAS/l		<50		<50		<50
Cianidi (prosti)	µg/l						
Mineralna olja	mg/l		<0.015		<0.015		<0.015
Mineralna olja - sed.	mg/kg						
PCB-28	µg/l						
PCB-52	µg/l						
PCB-101	µg/l						
PCB-118	µg/l						
PCB-138	µg/l						
PCB-153	µg/l						
PCB-180	µg/l						
Dibutilftalat	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Di-(2-etilheksil)-ftalat (DEHP)	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Di(2-etilheksil)ftalat (DEHP)-sed.	µg/kg						<50

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

		18.01.2011	10.02.2011	09.03.2011	13.04.2011	04.05.2011	02.06.2011
Nonilfenoli	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Oktilfenoli	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
C10-13 kloroalkani	µg/l	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
C10-C13 kloroalkani-sed.	µg/kg						63
Tributilkositrove spojine	µg TBT/l	<0.000195	<0.000195	<0.000195	<0.000195	<0.000195	<0.000195
Tributilkositrove spojine	µg Sn/l	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008
Tributilkositrove spojine-sed.	µg TBT/kg						<3.33
Dibutilkositrove spojine	µg DBT/l	<0.000157	<0.000157	0,00025	<0.000157	<0.000157	<0.000157
Dibutilkositrove spojine	µg Sn/l	<0.00008	<0.00008	0,00013	<0.00008	<0.00008	<0.00008
Dibutilkositrove spojine-sed.	µg DBT/kg						<4.61
Bisfenol A	µg/l	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
2,4,6-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4',6-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2',3,4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4,4'-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,3',4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,4,4'-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4,4',6-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4',5'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4',6-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4,4'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,3',4,4'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',6-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4,4',6-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',5-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3,4,5,6-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4,4',5-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4'-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,3',4,4',5-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',6,6'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',5,6'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',5,5'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4',5'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3,4,4',5,6-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4',5',6-HeptaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4',5,6-HeptaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3,3',4,4',5,6-HeptaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4,4'-TriBDE-sed.	µg/kg						<0.1
2,2',4,4'-TetraBDE-sed.	µg/kg						<0.1
2,2',4,4',6-PentaBDE-sed.	µg/kg						<0.1
2,2',4,4',5-PentaBDE-sed.	µg/kg						<0.1
2,2',4,4',5,6'-HexaBDE-sed.	µg/kg						<0.1
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg						<0.1
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg						<0.1

MIKROELEMENTI

Aluminij-filt.	µg/l	<10	<10	<10	<10	13	<10
Antimon-filt.	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Arzen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Baker-filt.	µg/l	<1	<1	<1	1,3	<1	<1
Baker-sed.	mg/kg						
Barij-filt.	µg/l	48	41	41	44	50	52

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

		18.01.2011	10.02.2011	09.03.2011	13.04.2011	04.05.2011	02.06.2011
Berilij-filt.	µg/l	<1	<1	<1	<1	<1	<1
Cink-filt.	µg/l	<10	<10	<10	<10	<10	<10
Cink-sed.	mg/kg						
Kadmij-filt.	µg/l	<0.01	<0.01	<0.01	0,013	<0.01	<0.01
Kadmij-sed.	mg/kg						0,19
Kobalt-filt.	µg/l	0,13	0,12	0,13	0,12	0,11	0,12
Kositer-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-sed.	mg/kg						
Molibden-filt.	µg/l	<1	<1	<1	<1	<1	<1
Nikelj-filt.	µg/l	<1	1,5	<1	<1	<1	1,1
Nikelj-sed.	mg/kg						
Selen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Srebro-filt.	µg/l	1,7	<1	<1	<1	<1	<1
Svinec-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-sed.	mg/kg						12
Vanadij-filt.	µg/l	<1	<1	1,1	<1	<1	<1
Živo srebro-filt.	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Živo srebro-sed.	mg/kg						<0.05
Titan-filt.	µg/l	1,5	<1	<1	1	<1	<1

FENOLNE SNOVI

2-Metoksifenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Metilfenol	µg/l	<0.05	<0.05	<0.05	0,07	<0.05	<0.05
Fenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
3-Metilfenol+ 4-Metilfenol	µg/l						
3-Metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
4-Metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4-Dimetilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
3,5-Dimetilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Klorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Nitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4-Diklorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
4-Kloro-3-metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4,6-Triklorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4-Dinitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
4-Nitrofenol	µg/l	<0.05	<0.05	<0.05	0,1	<0.05	<0.05
2-Metil-4,6-dinitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Pentaklorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

PESTICIDI IN METABOLITI

Alaklor	µg/l	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
Metolaklor	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
DDT (p,p)	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
DDT (o,p)	µg/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
DDE (p,p)	µg/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
DDD (o,p)	µg/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
DDD (p,p)	µg/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Dieldrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Isodrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Heptaklor	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Heptaklorepoksid	µg/l						

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

		18.01.2011	10.02.2011	09.03.2011	13.04.2011	04.05.2011	02.06.2011
Dibenzo(a,h)antracen-sed.	mg/kg						<0.01
Indeno(1,2,3-cd)piren	µg/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Indeno(1,2,3-cd)piren-sed.	mg/kg						<0.01

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Tribromometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Bromdiklorometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Dibromklorometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Tetraklorometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Diklorometan	µg/l	<2	<2	<2	<2	<2	<2
1,1-Dikloroetan	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,2-Dikloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,1-Dikloroeten	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
cis-1,2-Dikloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
trans-1,2-Dikloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1,2,2-Tetrakloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Trikloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1,1-Trikloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,1,2-Trikloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,1,2,2-Tetrakloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Benzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Toluen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Ksilen	µg/l						
m,p-Ksilen	µg/l	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
o-Ksilen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-trimetilbenzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
AOX	µg Cl/l						
Heksakloroetan	µg/l	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
n-heksan	µg/l						
Etilbenzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,2,4 Trimetilbenzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Epiklorohidrin	µg/l						

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

		13.07.2011	11.08.2011	07.09.2011	06.10.2011	09.11.2011	12.12.2011
Nonilfenoli	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Oktilfenoli	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
C10-13 kloroalkani	µg/l	<0.04	<0.04	<0.04	<0.04	<0.04	0,07
C10-C13 kloroalkani-sed.	µg/kg						
Tributilkositrove spojine	µg TBT/l	<0.000195	<0.000195	<0.000195	<0.000195	<0.000195	<0.000195
Tributilkositrove spojine	µg Sn/l	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008
Tributilkositrove spojine-sed.	µg TBT/kg						
Dibutilkositrove spojine	µg DBT/l	<0.000157	<0.000157	<0.000157	<0.000157	<0.000157	<0.000157
Dibutilkositrove spojine	µg Sn/l	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008	<0.00008
Dibutilkositrove spojine-sed.	µg DBT/kg						
Bisfenol A	µg/l	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
2,4,6-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4',6-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2',3,4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4,4'-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,3',4-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,4,4'-TriBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4,4',6-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4',5'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4',6-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4,4'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,3',4,4'-TetraBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',6-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4,4',6-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',5-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3,4,5,6-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3',4,4',5-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4'-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
3,3',4,4',5-PentaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',6,6'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',5,6'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',4,4',5,5'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4',5'-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3,4,4',5,6-HexaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4',5',6-HeptaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,2',3,4,4',5,6-HeptaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,3,3',4,4',5,6-HeptaBDE	µg/l	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
2,4,4'-TriBDE-sed.	µg/kg						
2,2',4,4'-TetraBDE-sed.	µg/kg						
2,2',4,4',6-PentaBDE-sed.	µg/kg						
2,2',4,4',5-PentaBDE-sed.	µg/kg						
2,2',4,4',5,6'-HexaBDE-sed.	µg/kg						
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg						
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg						

MIKROELEMENTI

Aluminij-filt.	µg/l	<10	<10	<10	<10	15	<10
Antimon-filt.	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Arzen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Baker-filt.	µg/l	<1	1,5	1,6	1,3	1,2	<1
Baker-sed.	mg/kg						
Barij-filt.	µg/l	60	51	47	67	53	50

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

		13.07.2011	11.08.2011	07.09.2011	06.10.2011	09.11.2011	12.12.2011
Berilij-filt.	µg/l	<1	<1	<1	<1	<1	<1
Cink-filt.	µg/l	<10	<10	<10	<10	45	<10
Cink-sed.	mg/kg						
Kadmij-filt.	µg/l	<0.01	<0.01	0,013	<0.01	0,021	<0.01
Kadmij-sed.	mg/kg						
Kobalt-filt.	µg/l	0,18	0,11	0,11	0,13	0,11	0,11
Kositer-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-filt.	µg/l	1,3	<1	<1	<1	<1	<1
Krom-sed.	mg/kg						
Molibden-filt.	µg/l	<1	<1	<1	<1	<1	<1
Nikelj-filt.	µg/l	1,1	<1	1,7	1,8	2,1	1,2
Nikelj-sed.	mg/kg						
Selen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Srebro-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-sed.	mg/kg						
Vanadij-filt.	µg/l	<1	<1	<1	<1	<1	2,1
Živo srebro-filt.	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Živo srebro-sed.	mg/kg						
Titan-filt.	µg/l	<1	<1	<1	1,2	<1	<1

FENOLNE SNOVI

2-Metoksifenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Fenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
3-Metilfenol+ 4-Metilfenol	µg/l						
3-Metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
4-Metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4-Dimetilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
3,5-Dimetilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Klorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Nitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4-Diklorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
4-Kloro-3-metilfenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4,6-Triklorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2,4-Dinitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
4-Nitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Metil-4,6-dinitrofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Pentaklorofenol	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

PESTICIDI IN METABOLITI

Alaklor	µg/l	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
Metolaklor	µg/l	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
DDT (p,p)	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
DDT (o,p)	µg/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
DDE (p,p)	µg/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
DDD (o,p)	µg/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
DDD (p,p)	µg/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Dieldrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Isodrin	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Heptaklor	µg/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Heptaklorepoksid	µg/l						

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Planjave
 Šifra merilnega mesta: 9291

		13.07.2011	11.08.2011	07.09.2011	06.10.2011	09.11.2011	12.12.2011
Dibenzo(a,h)antracen-sed.	mg/kg						
Indeno(1,2,3-cd)piren	µg/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Indeno(1,2,3-cd)piren-sed.	mg/kg						

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan	µg/l	<0.1	<0.1	<0.1	0,2	0,1	0,1
Tribromometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Bromdiklorometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Dibromklorometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Tetraklorometan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Diklorometan	µg/l	<2	<2	<2	<2	<2	<2
1,1-Dikloroetan	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,2-Dikloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,1-Dikloroeten	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
cis-1,2-Dikloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
trans-1,2-Dikloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1,2,2-Tetrakloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Trikloroeten	µg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1,1-Trikloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,1,2-Trikloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,1,2,2-Tetrakloroetan	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Benzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Toluen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Ksilen	µg/l						
m,p-Ksilen	µg/l	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
o-Ksilen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,3,5-trimetilbenzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
AOX	µg Cl/l						
Heksakloroetan	µg/l	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
n-heksan	µg/l						
Etilbenzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,2,4 Trimetilbenzen	µg/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Epiklorohidrin	µg/l						

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

18.01.2011 10.02.2011 09.03.2011 13.04.2011 04.05.2011 02.06.2011

MERITVE NA TERENU

Temperatura zraka	0C	4	15	20
Temperatura vode	0C	5	14,3	18,8
pH	-	8,2	8,1	8,1
Električna prevodnost (25 0C)	µS/cm	547	530	519
Kisik sonda	mg O2/l	12,1	10,3	8,7
Nasičenost s kisikom - sonda	%	94	101	93

OSNOVNI PARAMETRI

Suspendirane snovi po sušenju	mg/l	<2	<2	3			
KPK s KMnO4	mg O2/l						
KPK s K2Cr2O7	mg O2/l	<5	<5	<5			
BPK5	mg O2/l	0,8	1,3	0,6			
TOC	mg C/l	0,8	1,6	1,5			
Skupni dušik TN	mg N/l	0,91	0,5	0,82			
Amoniak (prosti)	mg NH3/l	<0.003	<0.003	<0.003			
Amonij	mg NH4/l	0,026	0,026	0,039			
Nitriti	mg NO2/l	0,007	<0.007	0,013			
Nitrati	mg NO3/l	<2.2	2,2	2,7			
Sulfati	mg/l	34	39	42			
Kloridi	mg/l	11	12	13			
Fluoridi	µg/l	<200	<200	<200			
Celotni fosfor - nefiltriran	mg PO4/l	0,055	0,024	0,028			
Ortofosfati	mg PO4/l	<0.031	<0.031	<0.031			
Kalcij	mg/l	94	91	84			
Magnezij	mg/l	9,8	10	7,9			
Natrij	mg/l	9,5	11	11			
Kalij	mg/l	1,3	1,5	1,4			
Mangan-filt.	µg/l	16	19	16	18	13	15
Železo - filt.	µg/l	<100	<100	<100	<100	<100	<100
Formaldehid	µg/l						
Dušik-Kjeldahl	mg N/l	0,5	<0.5	<0.5			
Skupna trdota	ONT	15,4	15	13,6			
Karbonatna trdota	ONT	12,7	12,5	11,7			
m-Alkaliteta	m-equiv/l	4,5	4,5	4,2			
Bor-filt.	µg/l	20	24	22	29	31	34

ONESNAŽENJA

Anionaktivni detergenti	µg MBAS/l	<50	<50	<50
Cianidi (prosti)	µg/l			
Mineralna olja	mg/l			
Mineralna olja - sed.	mg/kg			
PCB-28	µg/l			
PCB-52	µg/l			
PCB-101	µg/l			
PCB-118	µg/l			
PCB-138	µg/l			
PCB-153	µg/l			
PCB-180	µg/l			
Dibutilftalat	µg/l			
Di-(2-etilheksil)-ftalat (DEHP)	µg/l			
Di(2-etilheksil)ftalat (DEHP)-sed.	µg/kg			

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

18.01.2011 10.02.2011 09.03.2011 13.04.2011 04.05.2011 02.06.2011

Nonilfenoli	µg/l
Oktilfenoli	µg/l
C10-13 kloroalkani	µg/l
C10-C13 kloroalkani-sed.	µg/kg
Tributilkositrove spojine	µg TBT/l
Tributilkositrove spojine	µg Sn/l
Tributilkositrove spojine-sed.	µg TBT/kg
Dibutilkositrove spojine	µg DBT/l
Dibutilkositrove spojine	µg Sn/l
Dibutilkositrove spojine-sed.	µg DBT/kg
Bisfenol A	µg/l
2,4,6-TriBDE	µg/l
2,4',6-TriBDE	µg/l
2,2',4-TriBDE	µg/l
2,3',4-TriBDE	µg/l
2',3,4-TriBDE	µg/l
2,4,4'-TriBDE	µg/l
3,3',4-TriBDE	µg/l
3,4,4'-TriBDE	µg/l
2,4,4',6-TetraBDE	µg/l
2,2',4',5'-TetraBDE	µg/l
2,3',4',6-TetraBDE	µg/l
2,2',4,4'-TetraBDE	µg/l
2,3',4,4'-TetraBDE	µg/l
3,3',4,4'-TetraBDE	µg/l
2,2',4,4',6-PentaBDE	µg/l
2,3',4,4',6-PentaBDE	µg/l
2,2',4,4',5-PentaBDE	µg/l
2,3,4,5,6-PentaBDE	µg/l
2,3',4,4',5-PentaBDE	µg/l
2,2',3,4,4'-PentaBDE	µg/l
3,3',4,4',5-PentaBDE	µg/l
2,2',4,4',6,6'-HexaBDE	µg/l
2,2',4,4',5,6'-HexaBDE	µg/l
2,2',4,4',5,5'-HexaBDE	µg/l
2,2',3,4,4',5'-HexaBDE	µg/l
2,3,4,4',5,6-HexaBDE	µg/l
2,2',3,4,4',5',6-HeptaBDE	µg/l
2,2',3,4,4',5,6-HeptaBDE	µg/l
2,3,3',4,4',5,6-HeptaBDE	µg/l
2,4,4'-TriBDE-sed.	µg/kg
2,2',4,4'-TetraBDE-sed.	µg/kg
2,2',4,4',6-PentaBDE-sed.	µg/kg
2,2',4,4',5-PentaBDE-sed.	µg/kg
2,2',4,4',6,6'-HexaBDE-sed.	µg/kg
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg

MIKROELEMENTI

Aluminij-filt.	µg/l	<10	70	<10	<10	<10	<10
Antimon-filt.	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Arzen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Baker-filt.	µg/l	<1	1,6	<1	<1	<1	<1
Baker-sed.	mg/kg						
Barij-filt.	µg/l	48	42	42	48	50	53

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

		18.01.2011	10.02.2011	09.03.2011	13.04.2011	04.05.2011	02.06.2011
Berilij-filt.	µg/l	<1	<1	<1	<1	<1	<1
Cink-filt.	µg/l	<10	<10	<10	<10	<10	<10
Cink-sed.	mg/kg						
Kadmij-filt.	µg/l	<0.01	<0.01	<0.01	0,011	<0.01	<0.01
Kadmij-sed.	mg/kg						
Kobalt-filt.	µg/l	0,14	0,14	0,15	0,14	0,13	0,14
Kositer-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-sed.	mg/kg						
Molibden-filt.	µg/l	<1	<1	<1	<1	<1	<1
Nikelj-filt.	µg/l	<1	<1	<1	<1	1,1	1,1
Nikelj-sed.	mg/kg						
Selen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Srebro-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-sed.	mg/kg						
Vanadij-filt.	µg/l	<1	<1	<1	1,2	<1	<1
Živo srebro-filt.	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Živo srebro-sed.	mg/kg						
Titan-filt.	µg/l	1,6	<1	<1	<1	<1	<1

FENOLNE SNOVI

2-Metoksifenol	µg/l
2-Metilfenol	µg/l
Fenol	µg/l
3-Metilfenol+ 4-Metilfenol	µg/l
3-Metilfenol	µg/l
4-Metilfenol	µg/l
2,4-Dimetilfenol	µg/l
3,5-Dimetilfenol	µg/l
2-Klorofenol	µg/l
2-Nitrofenol	µg/l
2,4-Diklorofenol	µg/l
4-Kloro-3-metilfenol	µg/l
2,4,6-Triklorofenol	µg/l
2,4-Dinitrofenol	µg/l
4-Nitrofenol	µg/l
2-Metil-4,6-dinitrofenol	µg/l
Pentaklorofenol	µg/l

PESTICIDI IN METABOLITI

Alaklor	µg/l
Metolaklor	µg/l
Aldrin	µg/l
DDT (p,p)	µg/l
DDT (o,p)	µg/l
DDE (p,p)	µg/l
DDD (o,p)	µg/l
DDD (p,p)	µg/l
Dieldrin	µg/l
Endrin	µg/l
Isodrin	µg/l
Heptaklor	µg/l
Heptaklorepoxid	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

18.01.2011 10.02.2011 09.03.2011 13.04.2011 04.05.2011 02.06.2011

cis-heptaklorepoxid	µg/l
trans-heptaklorepoxid	µg/l
alfa-HCH	µg/l
alfa - HCH sed.	mg/kg
beta-HCH	µg/l
beta - HCH sed.	mg/kg
gama-HCH (Lindan)	µg/l
gama - HCH (Lindan) sed.	mg/kg
delta-HCH	µg/l
delta - HCH sed.	mg/kg
Pentaklorobenzen	µg/l
Pentaklorobenzen-sed.	mg/kg
Heksaklorobenzen	µg/l
Heksaklorobenzen sed.	mg/kg
1,2,3-Triklorobenzen	µg/l
1,2,4-Triklorobenzen	µg/l
1,3,5-Triklorobenzen	µg/l
Heksaklorbutadien	µg/l
Heksaklorobutadien sed.	mg/kg
Endosulfan(alfa)	µg/l
Endosulfan(beta)	µg/l
Endosulfan sulfat	µg/l
Paration-etil	µg/l
Paration-metil	µg/l
Glifosat	µg/l
Amonij-metil fosforjeva kislina (AMPA)	µg/l
Atrazin	µg/l
Desetil-atrazin	µg/l
Desizopropil-atrazin	µg/l
Simazin	µg/l
Propazin	µg/l
Prometrin	µg/l
Cianazin	µg/l
Terbutilazin	µg/l
Terbutrin	µg/l
Sekbumeton	µg/l
Metamitron	µg/l
Metribuzin	µg/l
Heksazinon	µg/l
Triadimefon	µg/l
Propikonazol	µg/l
Bromacil	µg/l
Diklobenil	µg/l
2,6-diklorobenzamid	µg/l
Diuron	µg/l
Klortoluron	µg/l
Metobromuron	µg/l
Izoproturon	µg/l
Monuron	µg/l
Linuron	µg/l
Monolinuron	µg/l
Klorbromuron	µg/l
Pendimetalin	µg/l
Trifluralin	µg/l
Metazaklor	µg/l
Acetoklor	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

18.01.2011 10.02.2011 09.03.2011 13.04.2011 04.05.2011 02.06.2011

Dimetenamid	µg/l
Napropamid	µg/l
Prosimidon	µg/l
Vinklozolin	µg/l
Folpet	µg/l
Diazinon	µg/l
Kaptan	µg/l
Diklofluanid	µg/l
Klorbenzilat	µg/l
Brompropilat	µg/l
Azoksistrobin	µg/l
Tetradifon	µg/l
Pirimikarb	µg/l
Kloridazon	µg/l
Malation	µg/l
Fenitrothion	µg/l
Fention	µg/l
Klorfenvinfos	µg/l
Klorpirifos etil	µg/l
Klorpirifos metil	µg/l
Mevinfos	µg/l
Diklorfos	µg/l
Ometoat	µg/l
Dimetoat	µg/l

POLICIKLICNI AROMATSKI OGLJIKOVODIKI

Naftalen	µg/l
Naftalen-sed.	mg/kg
Acenaftilen	µg/l
Acenaftilen-sed.	mg/kg
Acenaften	µg/l
Acenaften-sed.	mg/kg
Fluoren	µg/l
Fluoren-sed.	mg/kg
Fenantren	µg/l
Fenantren-sed.	mg/kg
Antracen	µg/l
Antracen-sed.	mg/kg
Fluoranten	µg/l
Fluoranten-sed.	mg/kg
Piren	µg/l
Piren-sed.	mg/kg
Benzo(a)antracen	µg/l
Benzo(a)antracen-sed.	mg/kg
Krizen	µg/l
Krizen-sed.	mg/kg
Benzo(b)fluoranten *	µg/l
Benzo(b)fluoranten-sed.	mg/kg
Benzo(k)fluoranten	µg/l
Benzo(k)fluoranten-sed.	mg/kg
Benzo(a)piren	µg/l
Benzo(a)piren-sed.	mg/kg
Benzo(ghi)perilen	µg/l
Benzo(ghi)perilen-sed.	mg/kg
Dibenzo(a,h)antracen	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

18.01.2011 10.02.2011 09.03.2011 13.04.2011 04.05.2011 02.06.2011

Dibenzo(a,h)antracen-sed. mg/kg
 Indeno(1,2,3-cd)piren µg/l
 Indeno(1,2,3-cd)piren-sed. mg/kg

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan µg/l
 Tribromometan µg/l
 Bromdiklorometan µg/l
 Dibromklorometan µg/l
 Tetraklorometan µg/l
 Diklorometan µg/l
 1,1-Dikloroetan µg/l
 1,2-Dikloroetan µg/l
 1,1-Dikloroeten µg/l
 cis-1,2-Dikloroeten µg/l
 trans-1,2-Dikloroeten µg/l
 1,1,2,2-Tetrakloroeten µg/l
 Trikloroeten µg/l
 1,1,1-Trikloroetan µg/l
 1,1,2-Trikloroetan µg/l
 1,1,2,2-Tetrakloroetan µg/l
 Benzen µg/l
 Toluen µg/l
 Ksilen µg/l
 m,p-Ksilen µg/l
 o-Ksilen µg/l
 1,3,5-trimetilbenzen µg/l
 AOX µg Cl/l
 Heksakloroetan µg/l
 n-heksan µg/l
 Etilbenzen µg/l
 1,2,4 Trimetilbenzen µg/l
 Epiklorohidrin µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

13.07.2011 11.08.2011 07.09.2011 06.10.2011 09.11.2011 12.12.2011

Nonilfenoli	µg/l
Oktilfenoli	µg/l
C10-13 kloroalkani	µg/l
C10-C13 kloroalkani-sed.	µg/kg
Tributilkositrove spojine	µg TBT/l
Tributilkositrove spojine	µg Sn/l
Tributilkositrove spojine-sed.	µg TBT/kg
Dibutilkositrove spojine	µg DBT/l
Dibutilkositrove spojine	µg Sn/l
Dibutilkositrove spojine-sed.	µg DBT/kg
Bisfenol A	µg/l
2,4,6-TriBDE	µg/l
2,4',6-TriBDE	µg/l
2,2',4-TriBDE	µg/l
2,3',4-TriBDE	µg/l
2',3,4-TriBDE	µg/l
2,4,4'-TriBDE	µg/l
3,3',4-TriBDE	µg/l
3,4,4'-TriBDE	µg/l
2,4,4',6-TetraBDE	µg/l
2,2',4',5'-TetraBDE	µg/l
2,3',4',6-TetraBDE	µg/l
2,2',4,4'-TetraBDE	µg/l
2,3',4,4'-TetraBDE	µg/l
3,3',4,4'-TetraBDE	µg/l
2,2',4,4',6-PentaBDE	µg/l
2,3',4,4',6-PentaBDE	µg/l
2,2',4,4',5-PentaBDE	µg/l
2,3,4,5,6-PentaBDE	µg/l
2,3',4,4',5-PentaBDE	µg/l
2,2',3,4,4'-PentaBDE	µg/l
3,3',4,4',5-PentaBDE	µg/l
2,2',4,4',6,6'-HexaBDE	µg/l
2,2',4,4',5,6'-HexaBDE	µg/l
2,2',4,4',5,5'-HexaBDE	µg/l
2,2',3,4,4',5'-HexaBDE	µg/l
2,3,4,4',5,6-HexaBDE	µg/l
2,2',3,4,4',5',6-HeptaBDE	µg/l
2,2',3,4,4',5,6-HeptaBDE	µg/l
2,3,3',4,4',5,6-HeptaBDE	µg/l
2,4,4'-TriBDE-sed.	µg/kg
2,2',4,4'-TetraBDE-sed.	µg/kg
2,2',4,4',6-PentaBDE-sed.	µg/kg
2,2',4,4',5-PentaBDE-sed.	µg/kg
2,2',4,4',6,6'-HexaBDE-sed.	µg/kg
2,2',4,4',5,5'-HexaBDE-sed.	µg/kg
2,2',3,4,4',5',6-HeptaBDE-sed.	µg/kg

MIKROELEMENTI

Aluminij-filt.	µg/l	<10	<10	<10	<10	<10	<10
Antimon-filt.	µg/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Arzen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Baker-filt.	µg/l	<1	1,9	1,8	2,2	1,4	2,1
Baker-sed.	mg/kg						
Barij-filt.	µg/l	50	48	45	48	53	49

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

		13.07.2011	11.08.2011	07.09.2011	06.10.2011	09.11.2011	12.12.2011
Berilij-filt.	µg/l	<1	<1	<1	<1	<1	<1
Cink-filt.	µg/l	<10	<10	<10	<10	<10	16
Cink-sed.	mg/kg						
Kadmij-filt.	µg/l	<0.01	<0.01	<0.01	0,017	<0.01	<0.01
Kadmij-sed.	mg/kg						
Kobalt-filt.	µg/l	0,1	0,12	0,091	0,1	0,14	0,14
Kositer-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-filt.	µg/l	<1	<1	<1	<1	<1	<1
Krom-sed.	mg/kg						
Molibden-filt.	µg/l	1,2	<1	<1	<1	<1	<1
Nikelj-filt.	µg/l	<1	1,1	1,5	1,5	1,6	1,2
Nikelj-sed.	mg/kg						
Selen-filt.	µg/l	<1	<1	<1	<1	<1	<1
Srebro-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-filt.	µg/l	<1	<1	<1	<1	<1	<1
Svinec-sed.	mg/kg						
Vanadij-filt.	µg/l	<1	<1	<1	<1	<1	2,2
Živo srebro-filt.	µg/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Živo srebro-sed.	mg/kg						
Titan-filt.	µg/l	<1	<1	<1	6,3	<1	<1

FENOLNE SNOVI

2-Metoksifenol	µg/l
2-Metilfenol	µg/l
Fenol	µg/l
3-Metilfenol+ 4-Metilfenol	µg/l
3-Metilfenol	µg/l
4-Metilfenol	µg/l
2,4-Dimetilfenol	µg/l
3,5-Dimetilfenol	µg/l
2-Klorofenol	µg/l
2-Nitrofenol	µg/l
2,4-Diklorofenol	µg/l
4-Kloro-3-metilfenol	µg/l
2,4,6-Triklorofenol	µg/l
2,4-Dinitrofenol	µg/l
4-Nitrofenol	µg/l
2-Metil-4,6-dinitrofenol	µg/l
Pentaklorofenol	µg/l

PESTICIDI IN METABOLITI

Alaklor	µg/l
Metolaklor	µg/l
Aldrin	µg/l
DDT (p,p)	µg/l
DDT (o,p)	µg/l
DDE (p,p)	µg/l
DDD (o,p)	µg/l
DDD (p,p)	µg/l
Dieldrin	µg/l
Endrin	µg/l
Isodrin	µg/l
Heptaklor	µg/l
Heptaklorepoxid	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

13.07.2011 11.08.2011 07.09.2011 06.10.2011 09.11.2011 12.12.2011

cis-heptaklorepoxid	µg/l
trans-heptaklorepoxid	µg/l
alfa-HCH	µg/l
alfa - HCH sed.	mg/kg
beta-HCH	µg/l
beta - HCH sed.	mg/kg
gama-HCH (Lindan)	µg/l
gama - HCH (Lindan) sed.	mg/kg
delta-HCH	µg/l
delta - HCH sed.	mg/kg
Pentaklorobenzen	µg/l
Pentaklorobenzen-sed.	mg/kg
Heksaklorobenzen	µg/l
Heksaklorobenzen sed.	mg/kg
1,2,3-Triklorobenzen	µg/l
1,2,4-Triklorobenzen	µg/l
1,3,5-Triklorobenzen	µg/l
Heksaklorbutadien	µg/l
Heksaklorobutadien sed.	mg/kg
Endosulfan(alfa)	µg/l
Endosulfan(beta)	µg/l
Endosulfan sulfat	µg/l
Paration-etil	µg/l
Paration-metil	µg/l
Glifosat	µg/l
Amonij-metil fosforjeva kislina (AMPA)	µg/l
Atrazin	µg/l
Desetil-atrazin	µg/l
Desizopropil-atrazin	µg/l
Simazin	µg/l
Propazin	µg/l
Prometrin	µg/l
Cianazin	µg/l
Terbutilazin	µg/l
Terbutrin	µg/l
Sekbumeton	µg/l
Metamitron	µg/l
Metribuzin	µg/l
Heksazinon	µg/l
Triadimefon	µg/l
Propikonazol	µg/l
Bromacil	µg/l
Diklobenil	µg/l
2,6-diklorobenzamid	µg/l
Diuron	µg/l
Klortoluron	µg/l
Metobromuron	µg/l
Izoproturon	µg/l
Monuron	µg/l
Linuron	µg/l
Monolinuron	µg/l
Klorbromuron	µg/l
Pendimetalin	µg/l
Trifluralin	µg/l
Metazaklor	µg/l
Acetoklor	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

13.07.2011 11.08.2011 07.09.2011 06.10.2011 09.11.2011 12.12.2011

Dimetenamid	µg/l
Napropamid	µg/l
Prosimidon	µg/l
Vinklozolin	µg/l
Folpet	µg/l
Diazinon	µg/l
Kaptan	µg/l
Diklofluanid	µg/l
Klorbenzilat	µg/l
Brompropilat	µg/l
Azoksistrobin	µg/l
Tetradifon	µg/l
Pirimikarb	µg/l
Kloridazon	µg/l
Malation	µg/l
Fenitrotion	µg/l
Fention	µg/l
Klorfenvinfos	µg/l
Klorpirifos etil	µg/l
Klorpirifos metil	µg/l
Mevinfos	µg/l
Diklorfos	µg/l
Ometoat	µg/l
Dimetoat	µg/l

POLICIKLICNI AROMATSKI OGLJIKOVODIKI

Naftalen	µg/l
Naftalen-sed.	mg/kg
Acenaftilen	µg/l
Acenaftilen-sed.	mg/kg
Acenaften	µg/l
Acenaften-sed.	mg/kg
Fluoren	µg/l
Fluoren-sed.	mg/kg
Fenantren	µg/l
Fenantren-sed.	mg/kg
Antracen	µg/l
Antracen-sed.	mg/kg
Fluoranten	µg/l
Fluoranten-sed.	mg/kg
Piren	µg/l
Piren-sed.	mg/kg
Benzo(a)antracen	µg/l
Benzo(a)antracen-sed.	mg/kg
Krizen	µg/l
Krizen-sed.	mg/kg
Benzo(b)fluoranten *	µg/l
Benzo(b)fluoranten-sed.	mg/kg
Benzo(k)fluoranten	µg/l
Benzo(k)fluoranten-sed.	mg/kg
Benzo(a)piren	µg/l
Benzo(a)piren-sed.	mg/kg
Benzo(ghi)perilen	µg/l
Benzo(ghi)perilen-sed.	mg/kg
Dibenzo(a,h)antracen	µg/l

AGENCIJA REPUBLIKE SLOVENIJE ZA OKOLJE

Vodotok: DRAGONJA
 Merilno mesto: Dragonja
 Šifra merilnega mesta: 9300

13.07.2011 11.08.2011 07.09.2011 06.10.2011 09.11.2011 12.12.2011

Dibenzo(a,h)antracen-sed. mg/kg
 Indeno(1,2,3-cd)piren µg/l
 Indeno(1,2,3-cd)piren-sed. mg/kg

LAHKOHLAPNE ORGANSKE SNOVI

Triklorometan µg/l
 Tribromometan µg/l
 Bromdiklorometan µg/l
 Dibromklorometan µg/l
 Tetraklorometan µg/l
 Diklorometan µg/l
 1,1-Dikloroetan µg/l
 1,2-Dikloroetan µg/l
 1,1-Dikloroeten µg/l
 cis-1,2-Dikloroeten µg/l
 trans-1,2-Dikloroeten µg/l
 1,1,2,2-Tetrakloroeten µg/l
 Trikloroeten µg/l
 1,1,1-Trikloroetan µg/l
 1,1,2-Trikloroetan µg/l
 1,1,2,2-Tetrakloroetan µg/l
 Benzen µg/l
 Toluen µg/l
 Ksilen µg/l
 m,p-Ksilen µg/l
 o-Ksilen µg/l
 1,3,5-trimetilbenzen µg/l
 AOX µg Cl/l
 Heksakloroetan µg/l
 n-heksan µg/l
 Etilbenzen µg/l
 1,2,4 Trimetilbenzen µg/l
 Epiklorohidrin µg/l